

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/620,595	07/20/2000	Takanobu Takeuchi	Takanobu Takeuchi 194630US2	
22850 7:	590 01/12/2005		EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			LAO, LUN S	
			ART UNIT	PAPER NUMBER
			2643	

DATE MAILED: 01/12/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)	
		09/620,595	TAKEUCHI, TAK	ANOBU
Office Action Summary		Examiner	Art Unit	
		Lun-See Lao	2643	
The MAILING DATE of thi Period for Reply	s communication app	ears on the cover sheet w	rith the correspondence ac	ddress
A SHORTENED STATUTORY F THE MAILING DATE OF THIS (- Extensions of time may be available under after SIX (6) MONTHS from the mailing dat - If the period for reply specified above is les - If NO period for reply is specified above, th - Failure to reply within the set or extended p Any reply received by the Office later than earned patent term adjustment. See 37 CF	communication. the provisions of 37 CFR 1.13 e of this communication. s than thirty (30) days, a reply e maximum statutory period w heriod for reply will, by statute, three months after the mailing	36(a). In no event, however, may a within the statutory minimum of thi will apply and will expire SIX (6) MO, cause the application to become A	reply be timely filed rty (30) days will be considered time NTHS from the mailing date of this of BANDONED (35 U.S.C. § 133).	ily. xommunication.
Status				
 Responsive to communicate This action is FINAL. Since this application is in closed in accordance with 	2b)☐ This condition for allowar	action is non-final.	• •	e merits is
Disposition of Claims				
4)	is/are withdrav wed. d. ected to.			
Application Papers				
9) The specification is objected 10) The drawing(s) filed on Applicant may not request the Replacement drawing sheet(11) The oath or declaration is one of the specific transfer of transfer of transfer of the specific transfer of t	is/are: a)☐ acce at any objection to the o s) including the correcti	epted or b) objected to drawing(s) be held in abeya ion is required if the drawing	nce. See 37 CFR 1.85(a). g(s) is objected to. See 37 C	* *
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made a a) All b) Some * c) 1 1. Certified copies of the certified sort the certified copies of the cer	None of: ne priority documents ne priority documents ed copies of the prior International Bureau	s have been received. s have been received in A ity documents have beer I (PCT Rule 17.2(a)).	Application No received in this National	Stage
Attachment(s) 1) Notice of References Cited (PTO-892)		4) 🗖 Intonéess	Summary (PTO-413)	
2) Notice of Nererences Cried (P10-632) Notice of Draftsperson's Patent Drawir Information Disclosure Statement(s) (F Paper No(s)/Mail Date		Paper No	s)/Mail Date nformal Patent Application (PT)	O-152)

Application/Control Number: 09/620,595

Art Unit: 2643

DETAILED ACTION

Introduction

1. This action response to the amendment filed on 07-08-2004. Claims 1 and 4 have been amended and claims 7-15 have been withdrawn. Claims 1-6 are pending.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claim 1 is rejected under 35 U.S.C. 102(e) as being anticipated by Seligson (US PAT. 3,116,366).

Consider claim 1 Seligson teaches an electret (see fig.1, 10) capacitor having first and second electrodes;

an amplifier (11) with which voltage generated between said first and second electrodes of said electret capacitor (10) is amplified and then outputted; and an external capacitor (15) having a first electrode to which an output of said amplifier (11) is applied, and a second electrode connected to said first electrode of said electret capacitor off ground (see col.2 line 66-col.3 line 2).

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Application/Control Number: 09/620,595 Page 3

Art Unit: 2643

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

5. Claim 2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Seligson (US PAT 3,116,366) in view of Papopoulos (US PAT. 6,681,020).

Consider claim 2 Seligson teaches the microphone unit of the amplifier comprises:

a first transistor (see fig.1, 11 (amplifier)) having a first current electrode, a second current electrode (10) connected to said second electrode of said electret capacitor (10), and a control electrode connected to said first electrode of said electret capacitor; a current source connected to said first current electrode of said first transistor (11 (amplifier)) (see col.2 line 38-col.3 line 50); but Seligson fails to teach an inverting amplifier having an input terminal connected to said first current electrode of said first transistor.

However, Papopoulous teaches an inverting amplifier (see fig.3b, (R38 and 370)) having an input terminal connected to said first current electrode of said first transistor (362)(see col.6 lines 8-28) for the purposes of preventing misinterpretation to inhibit attempts by the software to increase microphone sensitivity.

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Papopoulos into Seligson to provide for the purposes mentioned above.

Art Unit: 2643

6. Claim 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seligson (US PAT 3,116,366) as modified by Popopoulos (US PAT. 6,681,020) as applied to claims 1-2 above, and further in view of Weber (US PAT 4,491,972).

Consider claim 3, Seligson teaches that the microphone unit of the amplifier comprises:

a first resistor (see fig.1, 16) having a first terminal connected to said first current electrode of said first transistor (11, (amplifier)), and a second terminal; but Seligson fails to teach first operational amplifier having a negative input terminal connected to said second terminal of said first resistor, a positive input terminal to which a first fixed potential is applied, and an output terminal; and a second resistor having a first terminal connected to said negative input terminal of said first operational amplifier, and a second terminal connected to said output terminal of said first operational amplifier.

However, Weber teaches first operational amplifier(see fig.1,160) having a negative input terminal connected to said second terminal of said first resistor (162), a positive input terminal to which a first fixed potential (+V) is applied, and an output terminal (see col.3 lines 17-43); and

a second resistor (161) having a first terminal connected to said negative input terminal of said first operational amplifier (160), and a second terminal connected to said output terminal of said first operational amplifier (160 and see col.3 lines 17-43).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Weber into the teaching of Seligson and Papopoulos to improved an audio signal amplifier.

7. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seligson (US PAT 3,116,366) as modified by Papopoulos (US PAT. 6,681,020) as applied to claims 1-2 above, and further in view of Takada (US PAT 4,255,716).

Consider claim 4 Seligson and Weber do not clearly teach the microphone unit of current source comprises:

a second transistor having a first current electrode to which a first fixed potential is applied, a second current electrode connected to said first current electrode of said first transistor, and a control electrode to which a second fixed potential is applied.

However, Takada teaches the microphone unit of current source is a second transistor (see fig.2, 24) having a first current electrode to which a second fixed potential (-Vcc) is applied, a second current electrode connected to said first current electrode of said first transistor (23), and a control electrode to which a second fixed potential (ground) is applied (see col.2 line 29-57).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Takada into the teaching of Seligson and Papopoulos to provide an automatic gain control circuit the output signal of which is small in distortion (see (716) col.1 lines 49-52).

8. Claim 5 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seligson (US PAT 3,116,366) as modified by Papopoulos (US PAT. 6,681,020) as applied to claims 1-2 above, and further in view of Van Der Plaats (US PAT 3,810,032).

Consider claim 5 Seligson and Weber do not clearly teach that the microphone unit of the amplifier further comprises a voltage follower having an input terminal connected to said first current electrode of said first transistor, and an output terminal connected to said input terminal of said inverting amplifier.

However, Van Der teaches that the microphone unit of the amplifier further comprises a voltage follower (see fig.1, (18-19) having an input terminal connected to said first current electrode of said first transistor (see fig.1,13), and an output terminal connected to said input terminal of said inverting amplifier (26, inverting amplifier signal, one goes to resistor 28 and other goes to transistor 31) and see col.2 line 10-col.3 line 62).

Therefore, it would have obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Van Der into the teaching of Seligson and Papopoulos to provide an amplifier stage being controlled by the control current and whose amplification within the control range is a monotonically decreasing function of the supply current (see (032) col.1 line 54-65).

9. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Seligsonl (US PAT 3,116,366) as modified by Papopoulos (US PAT. 6,681,020) as applied to claims 1-2 above, and further in view of Akino (US PAT 6,453,048).

Consider claim 6 Seligson and Papopoulos do not clearly teach the microphone unit of further comprising:

Application/Control Number: 09/620,595

Art Unit: 2643

a first diode having a cathode and an anode connected to say first and second electrodes of said electret capacitor, respectively;

a second diode having an anode and a cathode connected to said first and second electrodes of said electret capacitor, respectively; and

a third resistor connected in parallel with said electret capacitor.

However, Akino teaches the microphone unit of further comprising:

a first diode (see fig.1,1A) having a cathode and an anode connected to said first and second electrodes of said electret capacitor (102), respectively;

a second diode (1B) having an anode and a cathode connected to said first and second electrodes of said electret capacitor (102), respectively; and

a third resistor (1C,3) connected in parallel with said electret capacitor (102 and see col.4 line 55-col.5 line 20).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teaching of Akino into the teaching of Seligson and Papopoulos to improved an impedance converter for a condenser microphone, in which an input voice signal from a condenser microphone portion through an input terminal can be impressed at a sufficient impedance to a grid of an amplifier tube with a mutual conductance and a sufficient voice signal can be taken out of a plate without a ham noise affected from a cathode (see (048) col. 2 lines 55-63).

Response to Amendment

10. Applicant's arguments with respect to claims 1-6 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

11. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

1.2. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Bloomfield (US PAT. 4,731,849) is cited to show other related to the microphone unit.

Application/Control Number: 09/620,595 Page 9

Art Unit: 2643

13. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks

Washington, D.C. 20231

or faxed to:(703) 872-9306

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington.

VA., Sixth Floor (Receptionist).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lao, Lun-See whose telephone number is (703) 305-2259 The examiner can normally be reached on Monday-Friday from 8:00 to 6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis Kuntz, can be reached on (703) 305-4708.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Technology Center 2600 whose telephone number is (703) 306-0377.

Lao,Lun-See Patent Examiner US Patent and Trademark Office Crystal Park 2 (703305-2259

PRIMARY EXAMINER